



## Uninterruptible power supply ACUPS-01



2nd generation valves (Wi-Fi and Zigbee)



Sedna Mesh valves (Wi-Fi and Zigbee)



Control4 Zigbee valve



Sinopé Zigbee gateway



Sinopé Mesh gateway

\*The UPS does not replace the 4 backup batteries of the Sedna valve. Backup batteries are necessary if you want the valve to close (depending on the function selected in Neviweb or Sinopé Smart Systems) during a prolonged power outage of more than 24 hours.

## ■ FEATURES

- Self-rechargeable battery backup in case of power failure
- Adjusts the output voltage according to the voltage of the device to which it is connected, when the power supply is cut off

## ■ STANDARDS

Complies with EN62040-2:2006

Complies with EN6100-3-2-2006+A12009+A2:2009

Complies with EN6100-3-3:2008

## ■ TECHNICAL SPECIFICATIONS

**Operation:** 32 °F to 104 °F [0 °C to 40 °C]

**Storage:** -4 °F to 122 °F [-20 °C to 50 °C]

**Supply:**

**Input:** DC 5 V / 7.5 V / 9 V / 12 V

**Output:** DC 5 V / 7.5 V / 9 V / 12 V

**Output power:** 12 W

**Battery voltage:** DC 3.7 V 18.5 Wh

**Battery:**

**Type:** Lithium-ion

**Recharging time of the battery:** Between 8 hours [12 V] and 12 hours [5 V] depending on the voltage.

**Battery life\* :** between 12 and 24 hours, depending on the type of device to which it is connected

**Connected:**

- Residential Wi-Fi installations: up to 24h
- Residential Zigbee installations: up to 24h
- Multi-residential installations [Mesh]: between 12 and 24h

**Maximum number of cycles :** 400

**3-year warranty**

**Indoor use only.**

\*If the battery is 100% charged

